

Solid Tough

"High Strength Digital Floor Tile"



A premium Tile Company Of India



OUR COMMITMENT:

At Premium Ceramics, we believe in creating products that go beyond functionality—they define spaces and inspire lifestyles.

With innovation, sustainability, and design excellence at our core, we continue to set new standards in the global ceramics industry.

Building Today For Tomorrow

Embracing sustainability for a thriving legacy



The Highlights of our Associated plants



GRIHA's certified products for sustainable habitat.



As an Indian Green Building Council member, we prioritize eco-friendly practices.



Producing solar power at our plant to reduce carbon footprints.



Conserving water by recycling 100% water waste.



100% recycling manufacturing waste.



Substantially using natural gas to keep the environment clean.

Solid Tough

"High Strength Digital Floor Tile"

800x1600 mm | 600x1200 mm | 195x1200 mm | 600x600 mm



High-strength digital floor tiles.



Suitable for indoor and outdoor use; resistant to water and fire.



Super flat surface with precise dimensions and warpage control.



Robust and Resilient, can endure challenging conditions over time.



Timeless designs inspired by stone, marble and wood.



High durability and functionality make our tiles ideal for extensive use & versatile applications.



Available in various sizes, designs and finishes for all budgets.



Meets the highest quality standards.

INDEX

600x600 MM (GLAM)

HD POLISHED	
AZUL ONICE A & B.....	06
BRITISH JADE ONICE A & B.....	06
DAMASCO ROSSO A & B.....	06
MARBLE INDIANA GOLD A & B.....	06
ADIRA GRIS.....	07
ARMANI BROWN.....	07
ARTIC BIANCA.....	07
ATLAS LATTE.....	07
BELARUS MIST.....	07
BERGEN COPPER.....	07
BIANCA DI AZUL.....	07
BLUE QUARTZ.....	07
BOTTICINO.....	07
CALCITE BROWN.....	08
CALCITE IVORY.....	08
CALCITE OCRE.....	08
CALVIN MARBLE.....	08
CHELSEA GREY.....	08
DYLAN BLACK MARBLE.....	08
ENGLISH TRAVERTINE GRIS.....	08
FRENCH GRANITE.....	08
IMOLA SMOKE GREY.....	08
LUCA WHITE.....	09
LUCE DI LUNA.....	09
MAXX GRIS.....	09
MEDALLO MARBLE.....	09
MIDNIGHT BLUE STONE.....	09
MOON MIST.....	09
NAVY WHITE MARBLE.....	09
ONICE BIANCA.....	09
ONYX BIANCA.....	09
PEBBLE GREY.....	10
PERLINO MARFIL.....	10
QUARTZ MARFIL.....	10
RIGA MARFIL.....	11
SATVARIO.....	11
SATVARIO CRYSTAL.....	11
TEXTURE DI CHARME.....	11
VENITO WHITE MARBLE.....	11
VICENZA DI MARFIL.....	11
WILLIAM GREY.....	11



600x600 MM (DIGITAL)

WOOD	
CORSICAN PINE.....	13
JADE TEAK.....	13
JADE WALNUT.....	13
JACARANDA.....	13
KASHMIR WOOD.....	13
KINGS WOOD.....	13
STAR WOOD.....	13
MATT	
AKROM WHITE MATT.....	14
ALIANA GRIS MARBLE MATT.....	14
ARGO BRECCIA MATT.....	14
BORGIO ITALINO MATT.....	14
CASANOVA COPPER MATT.....	14
GIOTTA MARBLE MATT.....	14
LADY GUDIVA GOLD MATT.....	14
LADY GUDIVA SILVER MATT.....	14
LIRA ITALINO MATT.....	14
PULPIS BEIGE MATT.....	15
SIMONE CREMA MATT.....	15
TRAVERTINO PEARL MATT.....	15
SATIN	
ARCTIC ICE.....	16
FLORENTINE MARFIL.....	16
GIBRALTAR.....	16
TASMANIA MARFIL.....	16



600x600 MM (TOPAZ)

WOOD	
BOAT WOOD.....	18
CARIBBEAN WOOD.....	18
CAROLINA WALLNUT.....	18
CINNAMON BEIGE.....	18
CINNAMON ORANGE.....	18
DYNORA WOOD.....	18
EQUADOR WOOD.....	18
FARRARI WOOD.....	18
FOGGIA WOOD.....	18
GIMMA NATURAL.....	19
GIR STRIPES WOOD.....	19
GRAMMY WOOD.....	19
ITALIAN WOOD.....	19
JULIA WOOD.....	19
MORMO GREEN WOOD.....	19
MORMO HEXA WOOD.....	19
MORMO TEAK WOOD.....	20
MYANMAR SILVER.....	19
MYANMAR TEAK.....	19
NORWAY TEAK WOOD.....	20
PEAR WOOD.....	20
PERGO TEAK.....	20
PRIMO WOOD.....	20
REX GREY WOOD.....	20
SCOTS PINE.....	20
SILVER PINE.....	20
SWORD WOOD.....	20
VENICE TEAK.....	21
MATT	
BIANCO ANTICO.....	22
BLANCO ALICANTE MARBLE.....	22
BOBINA STONE.....	22
CAPRI STONE BEIGE.....	22
CAPRI STONE BIANCA.....	22
CARPET GRIS.....	22
CHAMPAGNE STONE.....	22
EARTH STONE BEIGE.....	23
EARTH STONE BLANCO.....	23
EARTH STONE GREY.....	23
KROMIA STAR.....	23
LUNA STONE GRIS.....	23
LUNA STONE NATURALE.....	23
MARTINA DE GRIS.....	24
MILANO BRONZ.....	24
MILANO CREMA.....	24
MORROCO GOLD.....	24
MURAL GRIS.....	24
THUNDER GREY.....	24
VASCO GREY STONE.....	24
RUSTIC	
GRANITO BLANCO.....	23
GRANITO GREY.....	23
SATIN	
BLANCO NIEVE.....	22
CANNES CREMA.....	22
LEON CREMA.....	23
STERLING GREY.....	24
G-350000	
OMEGA BLANCO.....	25
OMEGA CREMA.....	25
VERVE BEIGE.....	25





AZULONICEA&B




BRITISHJADEONICEA&B



DAMASCOROSSOA&B



MARBLEINDIANAGOLDA&B



ARTICBIANCA



ADIRAGRIS

R



ARMANIBROWN

R



ATLASLATTE

R



BELARUSMIST

R




BERGENCOPPER

R




BIANCADIAZUL

R



BLUEQUARTZ

R



BOTTICINO

R




CALCITEBROWN R



CALCITEIVORY R



CALCITECRE R



CALVINMARBLE R



CHELSEAGREY R




DYLANBLACKMARBLE R



ENGLISHTRAVERTINEGRIS R



FRENCHGRANITE R



IMOLASMOKEGREY R



LUCAWHITE R




LUCEDILUNA R



MAXXGRIS R




MEDALLOMARBLE R




MIDNIGHTBLUESTONE R



MOONMIST R



NAVYWHITEMARBLE R




ONICEBIANCA R



ONYXBIANCA R

600x600mm | **GLAM**

HD POLISHED



PEBBLEGREY R



PERLINOMARFIL R



QUARTZMARFIL R



FLOOR:PEBBLEGREY



RIGAMARFIL R



SATVARIO R



SATVARIOCRISTAL R



TEXTUREDICHARME R



VENITOWHITEMARBLE R



VICENZADIMARFIL R



WILLIAMGREY R






CORSICANPINE M



JADETEAK M R



JADEWALNUT M R



JACARANDA M



KASHMIRWOOD M



KINGSWOOD M




STARWOOD M



AKROMWHITEMATT

R




ALIANAGRISMARBLEMATT

R




ARGOBRECCIAMATT

R




BORGOITALINOMATT

R




CASANOVACOPPERMATT

R




GIOTTAMARBLEMATT

R



LADYGUDIVAGOLDMATT*

R



LADYGUDIVASILVERMATT*

R



LIRAITALINOMATT

R



PULPISBEIGEMATT*

R

3^x



SIMONECREMAMATT

R

3^x



TRAVERTINOPEARLMATT

R



FLOOR:LADYGUDIVAGOLDMATT



ARCTICE R



FLORENTINEMARFIL R



GIBRALTAR R



TASMANIAMARFIL R





BOATWOOD S



CARIBBEANWOOD M



CAROLINAWALLNUT M



CINNAMONBEIGE M



CINNAMONORANGE M



DYNORAWOOD M



EQUADORWOOD M



FARRARIWOOD M



FOGGIAWOOD M



GIMMANATURAL

M



GIRSTRIPESWOOD

S




GRAMMYWOOD

M



ITALIANWOOD

M



JULIAWOOD

M



MORMOGREENWOOD

S



MORMOHEXAWOOD

S



MYANMARSILVER

M



MYANMARTEAK

M



MORMOTEAKWOOD S




NORWAYTEAKWOOD S



PEARWOOD M R



PERGOTEAK M



PRIMOWOOD M



REXGREYWOOD M



SCOTSPINE S



SILVERPINE S



SWORDWOOD S




VENICETAK

S




FLOOR:VENICETAK

600x600mm | *Topaz*



BIANCOANTICO M R



BLANCONIEVE MS



BLANCOALICANTEMARBLE M R



BOBINASTONE M



CARPETGRIS M



CANNESCREMA S



CAPRISTONEBEIGE M R



CAPRISTONEBIANCA M R



CHAMPAGNESTONE M R



EARTHSTONEBEIGE

M R




EARTHSTONEBLANCO

M R



EARTHSTONEGREY

M R



GRANITOBLANCO

RUSTIC



GRANITOGREY

RUSTIC



KROMIASTAR

M



LEONCREMA

S



LUNASTONENATURALE


M R



LUNASTONEGRIS

M R


600x600mm | *Topaz*



MILANOCREMA M R



MILANOBRONZ M R



MARTINADEGRIS M




MORROCOGOLD M



MURALGRIS M



STERLINGGREY S



THUNDERGREY M



VASCOGREYSTONE M

600x600mm | *Topaz*

G -35000



OMEGABLANCO G -35000 M



OMEGACREMA G -35000 M



VERVEBEIGE G -35000 M



FLOOR:VERVEBEIGE

SPECIFICATIONS

FLOOR TILES

WORK SIZE		PIECES / BOX (NOS.)	COVERAGE / BOX (SQ. MTRS.)	WEIGHT / SQ. MTR. (KGS.) (APPROX)
Dimensions (in mm)	Thickness (in mm)			
600X600 MM Solid Tough (Glam)	8.80	4	1.440	18.33
600X600 MM Solid Tough (Topaz)	8.80	4	1.440	18.33
600X600 MM Solid Tough (Digital)	8.80	4	1.440	18.33

Premium Ceramics Solid Tough Test and Technical Specifications					
SR.No.	TEST DESCRIPTION	STANDARD TEST METHOD	ISO STANDARD 13006:2018	IS 15622 :2017	OUR VALUES
1	Deviation in length & Width	ISO 10545-2/ IS 13630 Part 1	Max. ±0.30%	Max. ± 0.10%	Max. ± 0.10%
2	Deviation in Thickness	ISO 10545-2 / IS 13630 Part 1	Max. ± 5.0%	Max. ± 5.0%	Max. ± 4.0%
3	Deviation in Straightness of Sides	ISO 10545-2 / IS 13630 Part 1	Max. ± 0.30%	Max. ± 0.10%	Max. ± 0.10%
4	Deviation in Rectangularity	ISO 10545-2 / IS 13630 Part 1	Max. ± 0.30%	Max. ± 0.10%	Max. ± 0.10%
5	Surface Flatness (Center & Edge curvature)	ISO 10545-2/ IS 13630 Part 1	Max. ± 0.40%	Max. ± 0.50%	Max. ± 0.20%
6	Warpage	ISO 10545-2 / IS 13630 Part 1	Max. ± 0.40%	Max. ± 0.50%	Max. ± 0.20%
7	Surface Quality	ISO 10545-2 / IS 13630 Part 1	Min 95% free from visible defects	Min 95% free from visible defects	Min 95% free from visible defects
8	Water Absorption	ISO 10545-3 / IS 13630 Part 2	3% < Average ≤ 6 %	3% < Average ≤ 6 %	2.5% To 3.5%
9	Moisture Expansion	ISO 10545-10 / IS 13630 Part 3	Test Method Available	0.03 mm/m Max	0.006 mm/m Max
10	Linear Thermal Expansion	ISO 10545-8 / IS 13630 Part 4	Test Method Available	≤9X10 ⁻⁶ K ⁻¹	≤9X10 ⁻⁶ K ⁻¹
11	Thermal Shock Resistance	ISO 10545-9/ IS 13630 Part 5	Test Method Available	10 Cycle Min	10 Cycle Min
12	Breaking Strength	ISO 10545-4/IS 13630 Part 6	≥ 1000 N	≥ 1000 N	≥ 1400 N
13	Modulus of Rupture	ISO 10545-4 / IS 13630 Part 6	Average Min -22 N/mm ² Individual min - 20 N/mm ²	Average Min -22 N/mm ² Individual min - 20 N/mm ²	Average Min -32 N/mm ² Individual min - 30 N/mm ²
14	Resistance to Chemical	ISO 10545-13 /IS 13630 Part 8	Min Class B	Min Class AA	Min Class AA
15	Resistance to stain	ISO 10545-14 / IS 13630 Part 8	Min Class 3	Min Class 1	Min Class 1
16	Crazing Resistance	ISO 10545-11 / IS 13630 Part 9	Required	Min. 4 cycles @ 7.5 bar	Min. 4 cycles @ 7.5 bar
17	Resistance to Surface Abrasion	ISO 10545-7 / IS 13630 Part 11	Report Abrasion Class And cycle passed	Class II Min	Min Class -IV
18	Scratch Hardness (Moh,s scale)	IS 13630 Part 13	NA	Min 4	Min 5
19	Impact Resistance(COR)	ISO 10545-5 / IS 13630 Part 14	Test Method Available	0.55 Min	0.78 Min
20	Frost Resistance	ISO 10545-12/ IS 13630 Part 10	Test Method Available	Required , if agreed to between manufacturer and purchaser	100 Cycle Passed
21	Lead and Cadmium Release	ISO 10545-15	Test Method Available	NA	Cd - <1 ppm , Pb - 52 ppm

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.



Solid Tóugh

“High Strength Digital Floor Tile”

Premium Ceramics Pvt Ltd.

REGISTERED OFFICE :3RD FLOOR, 211, OKHLA, INDL. ESTATE PHASE-III, OKHLA
INDUSTRIAL ESTATE, SOUTH DELHI, NEW DELHI, DELHI, INDIA, 110020 | contact
us: ++ 91-73078-500-77 CIN NO:U46610DL2025PTC451804
Email: info@premium-ceramics.com/ Web: www.premium-ceramics.com

Follow us on:

